SEQUENCE LISTING

<110>   Shiuan, David

<120>   Yeast with High Biotin-Productivity and the Preparation Method

        Thereof

<130>   251410-1010

<140>   09/752,957
<141>   2001-01-02

<160>   5

<170>   PatentIn version 3.2

<210>   1
<211>   1188
<212>   DNA
<213>   nucleic acid

<400>   1
atgtcgttta tattgactgc tattagtcgt ccgattgctc tttccacttc tagagtagct   60

tctagggcta ctctggcaac aggtgctact gctgctgcgg agatcttgga agatgtgttc   120

acggaacaaa tggaagaagt ggcttcacag gagaagaagc caaacccatt ggaatatgca   180

ttgtcagtga agacaccagt caacacctgg accaaagaag aaattaaagc tatatatgac   240

acaccactca tggacttgat gcactatgct caggtgcaac acagaaggtt ccaacaacct   300

tcagaggttc aattgtgcac tcttatgaat atcaaaactg gtggttgtac cgaggactgt   360

aagtactgtg cccaatcaca gcgttacaac actggtgtca aggctgaaag aatcatccaa   420

gttgatgagg tgattgaagc tgcaaaggag gcaaaggcca atggatctac aaggttctgt   480

atgggtgctg cttggagaga gatgaaaggt agaaagtcaa acttgaagaa aatcaaagag

540

atgatcactg ctgtccatga ccttggaatg gagagttgtg tcaccctggg aatggttgat
    600

aaagaccaag ccactgaatt gaaaagtgct gggttgacgg cgtacaacca taacattgat
    660

acttacaagg aacactatcc aaaggtgatc tccacaagaa gctttgatga tagattgaaa
    720

acattcaaaa acgttcaagg atctggatta aaggcatgca caggtggtat tcttggtctt
    780

ggtgagaccc aagaggaccg tgtatctttc ctctacacct tggccacaat ggatcagcat
    840

ccagagtctc ttccaatcaa cagactggtc ccaatcaagg gcacgccaat gtatgaagaa
    900

gttaagaaca agcaagttga agttgatgag attgtcagaa ccattgctac tgcaagattg
    960

gtcatgccaa cgtctattat cagattggct gcaggaagat atacaatgaa agaggcagaa
    1020

caggtgatgt gcttcatggc tggttgtaat gccatcttca caggtaagaa aatgctcaca
    1080

acaatgtgta acggctggga tgaggataaa gccatgttgg ctaaatgggg tctgaaacca
    1140

atggagagtt tcaaatacaa accaagggag gttgcattcg gtgcttga
    1188

<210>   2
<211>   30
<212>   DNA
<213>   Gene

<400>   2
gaaagtcgac tcaagatctg tcgtacttaa
    30

<210>   3
<211>   21

```
<212>   DNA
<213>   Gene

<400>   3
ccgcagttaa atcgacaact g
     21



<210>   4
<211>   23
<212>   DNA
<213>   Amino Acid


<220>
<221>   misc_feature
<222>   (4)..(4)
<223>   n is a, c, g, or t

<220>
<221>   misc_feature
<222>   (6)..(6)
<223>   n is a, c, g, or t

<220>
<221>   misc_feature
<222>   (18)..(18)
<223>   n is a, c, g, or t

<400>   4
tgtncngarg aytgyaanta ttg
     23



<210>   5
<211>   20
<212>   DNA
<213>   Amino Acid


<220>
<221>   misc_feature
<222>   (6)..(6)
<223>   n is a, c, g, or t

<220>
<221>   misc_feature
<222>   (8)..(8)
```

<223> n is a, c, g, or t

<400> 5
gtrtcnanrt trtggttgta
    20

Seq. ID No. 4 needs a 'misc_feature' that defines the unknown nucl
eotide in position 4
Seq. ID No. 4 needs a 'misc_feature' that defines the unknown nucl
eotide in position 6
Seq. ID No. 4 needs a 'misc_feature' that defines the unknown nucl
eotide in position 18
Seq. ID No. 5 needs a 'misc_feature' that defines the unknown nucl
eotide in position 6
Seq. ID No. 5 needs a 'misc_feature' that defines the unknown nucl
eotide in position 8